



Referencias. Uso de isótopos estables en Ecología marina (Antonio Bode)

Manuales y referencias de consulta:

- Jochmann MA, Schmidt TC (2012) Compound-specific stable isotope analysis. RSC Publishing, Croydon (UK). 376 pp
- Fry B (2006) Stable isotope ecology. Springer Science+Business Media, LLC, New York. 308 pp
- Lajtha K, Michener RH (1994) Stable isotopes in ecology and environmental science. Blackwell Scientific Publications, Oxford. 316 pp
- Michener R, Lajtha K (2007) Stable Isotopes in Ecology and Environmental Science. Blackwell Publishing Lt. 566 pp
- Middelburg JJ (2014) Stable isotopes dissect aquatic food webs from the top to the bottom. *Biogeosciences* 11:2357-2371
- Moreno-Ostos E (ed) (2012) Expedición de circunnavegación Malaspina 2010. Cambio global y exploración de la biodiversidad del océano. Libro blanco de métodos y técnicas de trabajo oceanográfico. Consejo Superior de Investigaciones Científicas (CSIC), Madrid. 688 pp
- West JB, Bowen GJ, Dawson TE, Tu KP (2010) Isoscapes: understanding movement, pattern, and process on Earth through isotope mapping. Springer, Dordrecht. 512 pp

Referencias usadas en las presentaciones:

- Agersted MD, Bode A, Nielsen TG (2014) Trophic position of coexisting krill species: a stable isotope approach. *Mar Ecol Prog Ser* 516:136-151
- Andreu B (1969) Las branquispinas en la caracterización de las poblaciones de *Sardina pilchardus* (Walb.). *Inv Pesq* 33:425-607
- Basdow SL, de Silva NAL, Bode A, van Beusekorn J (2016) Trophic positions of mesozooplankton across the North Atlantic: estimates derived from biovolume spectrum theories and stable isotope analyses. *J Plankton Res* 38:1364-1378
- Behrenfeld MJ, O'Malley RT, Siegel DA, McClain CL, Sarmiento JL, Feldman GC, Milligan AJ, Falkowski PG, Letelier RM, Boss ES (2006) Climate-driven trends in contemporary ocean productivity. *Nature* 444:752-755
- Bode A, Alvarez-Ossorio MT (2004) Taxonomic versus trophic structure of mesozooplankton: a seasonal study of species succession and stable carbon and nitrogen isotopes in a coastal upwelling ecosystem. *ICES J Mar Sci* 61:563-571
- Bode A, Alvarez-Ossorio MT, Varela M (2006) Phytoplankton and macrophyte contributions to littoral food webs in the Galician upwelling (NW Spain) estimated from stable isotopes. *Mar Ecol Prog Ser* 318:89-102

- Bode A, Alvarez-Ossorio MT, Carrera P, Lorenzo J (2004) Reconstruction of trophic pathways between plankton and the North Iberian sardine (*Sardina pilchardus*) using stable isotopes. *Sci Mar* 68:165-178
- Bode A, Alvarez-Ossorio MT, Cunha ME, Garrido S, Peleteiro JB, Porteiro C, Valdés L, Varela M (2007) Stable nitrogen isotope studies of the pelagic food web on the Atlantic shelf of the Iberian Peninsula. *Prog Oceanogr* 74:115-131
- Bode A, Anadón R, Morán XAG, Nogueira E, Teira E, Varela M (2011) Decadal variability in chlorophyll and primary production off NW Spain. *Clim Res* 48:293-305
- Bode A, Carrera P, Lens S (2003) The pelagic foodweb in the upwelling ecosystem of Galicia (NW Spain) during spring: natural abundance of stable carbon and nitrogen isotopes. *ICES J Mar Sci* 60:11-22
- Bode A, Carrera P, Porteiro C (2006) Stable nitrogen isotopes reveal weak dependence of trophic position of planktivorous fishes from individual size: a consequence of omnivorism and mobility. In: Povinec P, Sánchez-Cabeza JA (eds) *International Conference on isotopes and Environmental Studies, Vol Vol. 8*. Elsevier, Amsterdam, p 281-293
- Bode A, Dortch Q (1996) Uptake and regeneration of inorganic nitrogen in coastal waters influenced by the Mississippi River: Spatial and seasonal variations. *J Plankton Res* 18:2251-2268
- Bode A, Fernández C, Mompeán C, Parra S, Rozada F, Valencia-Vila J, Viana IG (2014) Differential processing of anthropogenic carbon and nitrogen in benthic food webs of A Coruña (NW Spain) traced by stable isotopes. *Deep Sea Res II* 106:198-206
- Bode A, González N, Lorenzo J, Valencia J, Varela MM, Varela M (2006) Enhanced bacterioplankton activity after the 'Prestige' oil spill off Galicia (NW Spain). *Aquat Microb Ecol* 43:33-41
- Bode A, Varela M (1998) Primary production and phytoplankton in three Galician Rias Altas (NW Spain): seasonal and spatial variability. *Sci Mar* 62:319-330
- Bode A, Varela M (1998) Mesoscale estimations of primary production in shelf waters: a case study in the Golfo Artabro (NW Spain). *J Exp Mar Biol Ecol* 229:111-131
- Bowen G (2010) Isoscapes: spatial pattern in isotopic biogeochemistry. *Annu Rev Earth Planet Sci* 38:161-187
- Chavez FP, Messié M, Pennington JT (2011) Marine primary production in relation to climate variability and change. *Annu Rev Mar Sci* 3:227-260
- Chikaraishi Y, Ogawa NO, Kashiyama Y, Takano Y, Suga H, Tomitani A, Miyashita H, Kitazato H, Ohkouchi N (2009) Determination of aquatic food-web structure based on compound-specific nitrogen isotopic composition of amino acids. *Limnol Oceanogr Methods* 7:740-750
- Dean JR, Leng MJ, Mackay AW (2014) Is there an isotopic signature of the Anthropocene? *The Anthropocene Review* 1:276-287
- Dugdale RC, Goering JJ (1967) Uptake of new and regenerated forms of nitrogen in primary productivity. *Limnol Oceanogr* 12:196-206
- Fernández A, Mouriño-Carballido B, Bode A, Varela M, Marañón E (2010) Latitudinal distribution of *Trichodesmium* spp. and N₂ fixation in the Atlantic Ocean. *Biogeosciences* 7:3167-3176
- Fernández A, Marañón E, Bode A (2014) Large-scale meridional and zonal variability in the nitrogen isotopic composition of plankton in the Atlantic Ocean. *J Plankton Res* 36:1060-1073
- Fernández-Castro B, Mouriño-Carballido B, Marañón E, Chouciño P, Gago J, Ramírez T, Vidal M, Bode A, Blasco D, Royer S-J, Estrada M, Simó R (2015) Importance of salt fingering for new nitrogen supply in the oligotrophic ocean. *Nature Communications* 6:doi:10.1038/ncomms9002
- Finkel ZV, Beardall J, Flynn KJ, Quigg A, Rees TAV, Raven JA (2010) Phytoplankton in a changing world: cell size and elemental stoichiometry. *J Plankton Res* 32:119-137

- Germain LR, Koch PL, Harvey J, McCarthy MD (2013) Nitrogen isotope fractionation in amino acids from harbor seals: implications for compound-specific trophic position calculations. *Mar Ecol Prog Ser* 482:265-277
- Glibert PM, Lipschultz F, McCarthy JJ, Altabet MA (1982) Isotope dilution models of uptake and remineralization of ammonium by marine plankton. *Limnol Oceanogr* 27:639-650
- Gutiérrez-Rodríguez A, Décima M, Popp BN, Landry MR (2014) Isotopic invisibility of protozoan trophic steps in marine food webs. *Limnol Oceanogr* 59:1590-1598
- Hertz E, Robinson JPW, Trudel M, Mazumder A, Baum JK (2014) Estimation of predator-prey mass ratios using stable isotopes: sources of errors. *Mar Ecol Prog Ser* 516:1-6
- Hoen DK, Kimb SL, Hussey NE, Wallsgrove NJ, Drazen JC, Popp BN (2014) Amino acid ^{15}N trophic enrichment factors of four large carnivorous fishes. *J Exp Mar Biol Ecol* 453:76-83
- Hunt BPV, Allain V, Menkes C, Lorrain A, Graham B, Rodier M, Pagano M, Carlotti F (2015) A coupled stable isotope-size spectrum approach to understanding pelagic food-web dynamics: A case study from the southwest sub-tropical Pacific. *Deep Sea Res II* 113:208-224
- Hussey NE, MacNell MA, McMeans BC, Ollin JA, Dudley SFJ, Cliff G, Wintner SP, Fennessy ST, Fisk AT (2014) Rescaling the trophic structure of marine food webs. *Ecol Lett* 17:239-250
- Inger R, Jackson A, Parnell A, Bearhop S (2008) SIAR V4 (Stable Isotope Analysis in R). An Ecologist's Guide.
https://www.tcd.ie/Zoology/research/research/theoretical/siar/SIAR_For_Ecologists.pdf
- IPCC (2013) Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. 1535 pp
- Jackson AL, Inger R, Parnell AC, Bearhop S (2011) Comparing isotopic niche widths among and within communities: SIBER – Stable Isotope Bayesian Ellipses in R. *Journal of Animal Ecology* 80:595-602
- Keeling CD (1979) The Suess Effect: ^{13}C - ^{14}C interrelations. *Environment International* 2:229-300
- Layman CA, Araujo MS, Boucek R, Hammerschlag-Peyer CM, Harrison E, Jud ZR, Matich P, Rosenblatt AE, Vaudo JJ, Yeager LA, Post DM, Bearhop S (2012) Applying stable isotopes to examine food-web structure: an overview of analytical tools. *Biol Rev* 87:545-562
- McCarthy MD, Benner R, Lee C, Fogel ML (2007) Amino acid nitrogen isotopic fractionation patterns as indicators of heterotrophy in plankton, particulate, and dissolved organic matter. *Geochimica et Cosmochimica Acta* 71:4727-4744
- McClelland JW, Montoya JP (2002) Trophic relationships and the nitrogen isotopic composition of amino acids in plankton. *Ecology* 83:2173-2180
- MacKenzie KM, Palmer MR, Moore A, Ibbotson AT, Beaumont WRC, Poulter DJS, Trueman CN (2011) Locations of marine animals revealed by carbon isotopes. *Scientific Reports* 1:doi: 10.1038/srep00021
- McMahon KW, Hamady LL, Thorrold SR (2013) A review of ecogeochemistry approaches to estimating movements of marine animals. *Limnol Oceanogr* 58:697-714
- Mompeán C, Bode A, Benítez-Barrios VM, Domínguez-Yanes JF, Escánez J, Fraile-Nuez E (2013) Spatial patterns of plankton biomass and stable isotopes reflect the influence of the nitrogen-fixer *Trichodesmium* along the subtropical North Atlantic. *J Plankton Res* 35:513-525
- Mompeán C, Bode A, Gier E, McCarthy MD (2016) Bulk vs. amino acid stable N isotope estimations of metabolic status and contributions of nitrogen fixation to size-fractionated zooplankton biomass in the subtropical N Atlantic. *Deep Sea Res* 114:137-148
- Mompeán C, Bode A, Latasa M, Fernández-Castro B, Mouriño-Carballido B, Irigoien X (2016) Nitrogen inputs influence on biomass and trophic structure of ocean plankton: a study using biomass and stable isotope size-spectra. *Journal of Plankton Research* 38:1163-1177

- Mouriño-Carballido B, Graña R, Fernández A, Bode A, Varela M, Domínguez JF, Escánez J, De Armas D, Marañón E (2011) Importance of N₂ fixation vs. nitrate eddy diffusion along a latitudinal transect in the Atlantic Ocean. *Limnol Oceanogr* 56:999-1007
- Nielsen J, Popp B, Winder M (2015) Meta-analysis of amino acid stable nitrogen isotope ratios for estimating trophic position in marine organisms. *Oecologia* doi:10.1007/s00442-00015-03305-00447
- Olsen A, Omar AM, Bellerby RGK, Johannessen T, Ninnemann U, Brown KR, Olsson KA, Olafsson J, Nondal G, Kivimaä C, Kringstad S, Neill C, Olafsdotti S (2006) Magnitude and origin of the anthropogenic CO₂ increase and ¹³C Suess effect in the Nordic seas since 1981. *Global Biogeochem Cycles* GB3027:doi:10.1029/2005GB002669
- Parnell AC, Inger R, Bearhop S, Jackson AL (2010) Source Partitioning Using Stable Isotopes: Coping with Too Much Variation. *PLoS ONE* 5:e9672 doi:10.1371/journal.pone.0009672
- Phillips DL, Gregg JW (2003) Source partitioning using stable isotopes: coping with too many sources. *Oecologia* 136:261-269
- Phillips DL, Koch PL (2002) Incorporating concentration dependence in stable isotope mixing models. *Oecologia* 130:114-125
- Post DM (2002) Using stable isotopes to estimate trophic position: models, methods, and assumptions. *Ecology* 83:703-718
- Redfield AC, Ketchum BH, Richards FA (1963) The influence of organisms on the composition of sea-water. In: Hill MN (ed) *The Sea*, Vol 2. Wiley Interscience, New York, p 26-79
- Slawyk G, Raimbault P, Garcia N (1998) Measuring gross uptake of ¹⁵N-labeled nitrogen by marine phytoplankton without particulate matter collection: Evidence of low ¹⁵N losses to the dissolved organic nitrogen pool. *Limnol Oceanogr* 43:1734-1739
- Suess HE (1955) Radiocarbon concentration in modern wood. *Science* 122:415-417
- Vander Zanden MJ, Fetzer W (2007) Global patterns of aquatic food chain length. *Oikos* 116:1378-1388
- Vander Zanden MJ, Rasmussen JB (2001) Variation in $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ trophic fractionation: Implications for aquatic food web studies. *Limnol Oceanogr* 46:2061-2066
- Varela MM, Bode A, Fernández E, González N, Kitidis V, Varela M, Woodward EMS (2005) Nitrogen uptake and dissolved organic nitrogen release in planktonic communities characterised by phytoplankton size-structure in the Central Atlantic Ocean. *Deep -Sea Res* 52:1637-1661
- Viana IG, Bode A (2013) Stable nitrogen isotopes in coastal macroalgae: geographic and anthropogenic variability. *Sci Total Environ* 443:887-895
- Vokhshoori NL, Larsen T, McCarthy MD (2014a) Reconstructing $\delta^{13}\text{C}$ isoscapes of phytoplankton production in a coastal upwelling system with amino acid isotope values of littoral mussels. *Mar Ecol Prog Ser* 504:59-72
- Vokhshoori NL, McCarthy MD (2014b) Compound-Specific delta N-15 Amino Acid Measurements in Littoral Mussels in the California Upwelling Ecosystem: A New Approach to Generating Baseline delta N-15 Isoscapes for Coastal Ecosystems. *Plos One* 9:doi:10.1371/journal.pone.0098087
- Ward BB, Capone DG, Zehr JP (2007) What's new in the marine nitrogen cycle? *Oceanography* 20:101-109
- Zhou M (2006) What determines the slope of a plankton biomass spectrum? *J Plankton Res* 28:437-448